



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

May 8, 1896

SOUTH ATLANTIC QUARANTINE.

Week ended April 25, 1896.

Name of vessel.	Date of arrival.	Where from.	Destina-tion.	Treatment of vessel and cargo.	Date of dep'ture.
Ital. bk .Genevra	Apr. 22	Santos.....	Brunswick..	Held for disinfection.

One vessel inspected and passed.

SOUTHPORT QUARANTINE.

Week ended May 2, 1896.

One vessel inspected and passed.
Two vessels spoken and passed.*Reports of States and yearly and monthly reports of cities.*

CONNECTICUT—*Meriden*.—Month of April, 1896. Estimated population, 28,500. Total deaths, 31, including 6 from phthisis pulmonalis.

New Haven.—Month of February, 1896. Estimated population, 100,000. Total deaths, 145, including phthisis pulmonalis, 11; diphtheria and croup, 4; scarlet fever, 1, and whooping cough, 2.

Month of March, 1896. Total deaths, 152, including phthisis pulmonalis, 21; scarlet fever, 2; diphtheria and croup, 5, and measles, 4.

Westport.—Month of April, 1896. Estimated population, 4,000. Total deaths, 9, including 1 from measles.

FLORIDA—*Pensacola*.—Month of March, 1896. Estimated population, 15,000. Total deaths, 26, including phthisis pulmonalis, 5; enteric fever, 2, and measles, 1.

LOUISIANA—*New Orleans*.—Month of March, 1896. Estimated population, white, 195,000; colored, 80,000; total, 275,000. Deaths, white, 400; colored, 339; total, 739, including phthisis pulmonalis, 85; enteric fever, 7; smallpox, 83, and measles, 2.

MAINE—*Portland*.—Four weeks ended April 18, 1896. Estimated population, 40,000. Total deaths, 57, including phthisis pulmonalis, 4; diphtheria, 2, and whooping cough, 1.

MARYLAND—*Baltimore*.—Month of February, 1896. Estimated population, white, 422,568; colored, 73,747; total, 496,315. Deaths, white, 688; colored, 229; total, 917, including phthisis pulmonalis, 118; enteric fever, 11; scarlet fever, 2; diphtheria, 23; measles, 11; croup, 4, and whooping cough, 7.

Month of March, 1896. Deaths, white, 513; colored, 190; total, 703, including phthisis pulmonalis, 83; enteric fever, 4; scarlet fever, 3; diphtheria, 17; croup, 3, and whooping cough, 10.

MICHIGAN.—Week ended April 25, 1896. Reports to the State board of health, Lansing, from 34 observers, indicate that inflammation of kidney increased, and pleuritis, intermittent fever, and remittent fever decreased in area of prevalence. Phthisis pulmonalis was reported present during the week at 198 places, measles at 37, scarlet fever at

29, diphtheria at 22, enteric fever at 16, whooping cough at 11, and smallpox at 2 places—Bay City and Ionia.

NEW HAMPSHIRE—*Manchester*.—Month of March, 1896. Estimated population, 55,000. Total deaths, 91, including phthisis pulmonalis, 14; enteric fever, 3, and croup, 2.

NEW JERSEY—*Hudson County*.—Month of March, 1896. Estimated population, 338,671. Total deaths, 629, including phthisis pulmonalis, 52; enteric fever, 19; scarlet fever, 6; diphtheria, 38; measles, 6; croup, 10, and whooping cough, 3.

NORTH CAROLINA.—Month of March, 1896. Reports to the State board of health from 27 towns having an aggregate population of 140,885 (white, 85,722; colored, 55,163) show a total of 219 deaths (white, 101; colored, 118), including phthisis pulmonalis, 37; enteric fever, 5; scarlet fever, 3; measles, 22, and whooping cough, 2.

VIRGINIA—*Lynchburg*.—Month of April, 1896. Estimated population, 30,000. Total deaths, 29, including phthisis pulmonalis, 6.